

## Bibliografie:

- Artru, T. Farges and P. Lognonn'e. Acoustic waves generated from seismic surface waves: propagation properties determined from doppler sounding observation and normal-modes modeling. *Geophys. J. Int.*, 158, 1067–1077 (2004).
- Biagi, P. F., Castellana, L., Maggipinto, T., and Ermini, A.: An overview on preseismic anomalies in LF radio signals revealed in Italy by wavelet analysis, *Annals of Geophysics*, 51, 237–246, 2008.
- Biagi, R. Piccolo, L. Castellana, T. Maggipinto, A. Ermini, *et al.*, VLF-LF radio signals collected at Bari (South Italy): a preliminary analysis on signal anomalies associated with earthquakes *Nat. Hazards Earth Syst. Sci.*, 4 (5/6) (2004), pp. 685–689
- Brady, B.T. and Rowell, G.A.: 1986, ‘Laboratory investigations of the electrodynamics of rock fracture’, *Nature* **321**, 488–490.
- Brady, B.T.: 1992, ‘Electrodynamics of rock fracture: implications for models of rock fracture’, in S.K. Park (ed.), *Proceedings of the Workshop on Low Frequency Electrical Precursors*, Rep. 92-15, Inst. of Geophys. and Planet. Phys., Univ. of Calif., Riverside.
- Chalmers, 1976, *Atmospheric Electricity*, Pergamon, pp. 515.
- Ciraolo. Evaluation of GPS L2-L1 biases and related daily TEC profiles, in: Proc. of the GPS/Ionosphere Workshop, 90–97, Neustrelitz (1993).
- Constantin A. P., Pantea A., (2013) Macroseismic field of the October 27, 2004 Vrancea (Romania) moderate subcrustal earthquake, *Journal of Seismology*, Vol. 17, No. 4, pp 1149-1156, DOI: 10.1007/s10950-013-9383-2.
- Davis, P.M. and Johnston, M.J.S.: 1983, ‘Localized geomagnetic field changes near active faults in California, 1974–1980’, *J. Geophys. Res.* **88**, 9452–9460.
- Davis, P.M., Jackson, D.D., Searls, C.A., and McPherron, R.L.: 1981, ‘Detection of tectonomagnetic events using multichannel predictive filtering’, *J. Geophys. Res.* **86**, 1731–1737.
- Dobrovolsky, I.P., Gershenson, N. I., and Gokhberg, M.B.: 1989, ‘Theory of electrokinetic effects occurring at the final stage in the preparation of a tectonic earthquake’, *Phys. Earth Planet. Int.* **57**, 144–156.
- Dobrovolsky, I.R., S.I Zubkov and V.I. Myachkin. Estimation of the size of earthquake preparation zones. *Pageoph*, 117, 1025–1044 (1979).
- Dolea, P., Octavian Cristea, Paul Vladut Dascal, Iren-Adelina Moldovan, Pier Francesco Biagi , Aspects regarding the use of the INFREP network for identifying possible seismic precursors, Physics and Chemistry of the Earth, Parts A/B/C, Volumes 85–86, 2015, 34–43 <http://dx.doi.org/10.1016/j.pce.2015.05.010>
- Dolea, P., Dascal, V.P., Cristea, O., Palade, T., 2011. 4th of January 2011 solar eclipse induced disturbances in VLF radio waves propagation. In: Proc. 10th International Conference on Telecommunications in Modern Satellite, Cable and Broadcasting Services, IEEE Proc. vol. 2, pp. 513–516. <http://dx.doi.org/10.1109/TELSKS.2011.6143166>.
- Dolea, P., Dascal, V.P., Cristea, O., Palade, T., 2013. In-situ measurements regarding LF radio wave propagation using DCF77 time signal transmitter. In: Proc. 11th International Conference on Telecommunications in Modern Satellite, Cable and Broadcasting Services. IEEE Proc. vol. 2, pp. 449–452. <http://dx.doi.org/10.1109/TELSKS.2013.6704418>.
- Draganov, A.B., Inan, U.S., and Taranenko, Y.N.: 1991, ‘ULF magnetic signatures at the Earth surface due to ground water flow: a possible precursor to earthquakes’, *Geophys. Res. Lett.* **18**, 1127–1130.
- Fenoglio, M.A., Fraser-Smith, A.C., Beroza, G.C., and Johnston, M.J.S.: 1993, ‘Comparison of ultra-low frequency electromagnetic signals with aftershock activity during the 1989 Loma Prieta earthquake sequence’, *Bull. Seis. Soc. Am.* **83**, 347–357.
- Fenoglio,M.A., Johnston, M.J.S., and Byerlee, J.: 1995, ‘Magnetic and electric fields associated with changes in high pore pressure in fault zones – Application to the Loma Prieta ULF emissions’, *J. Geophys. Res.* **100**, 12951–12958.

- Finkelstein, D., Hill, R.D., and Powell, J.R.: 1973, 'The piezoelectric theory of earthquake lightning', *J. Geophys. Res.* **78**, 992–993.
- Francis, S.H.: 1975, 'Global propagation of atmospheric gravity waves: a review', *J. Atmos. Terr. Phys.* **37**, 1011–1054.
- Fraser, D.C.: 1966, 'The magnetic fields of ocean waves', *Geophys. J. R. Astron. Soc.* **11**, 507–517.
- Fraser-Smith, A.C., Bernardi, A., McGill, P.R., Ladd, M.E., Helliwell, R.A., and Villard, O.G., Jr.: 1990, 'Low-frequency magnetic field measurements near the epicenter of the M7.1 Loma Prieta earthquake', *Geophys. Res. Lett.* **17**, 1465–1468.
- Fraser-Smith, A.C., Bernardi, A., McGill, P.R., Ladd, M.E., Helliwell, R.A., and Villard, O.G., Jr.: 1990, 'Ultra-low frequency magnetic field measurements in Southern California during the Northridge earthquake of 17 January, 1994', *Geophys. Res. Lett.* **21**, 2195–2198.
- Freund, A. Takeuchi, B.W.S. Lau Electric currents streaming out of stressed igneous rocks – a step towards understanding pre-earthquake low frequency EM emissions, *Phys. Chem. Earth*, 31 (2006), pp. 389–396 <http://dx.doi.org/10.1016/j.pce.2006.02.027>
- Freund, F., Whang, E.J., and Lef, J.: 1992, 'Hole-type charge carriers in olivine and feldspars: key to the enigmatic electric earthquake phenomena?', in S.K. Park (ed.), *Proceedings of the Workshop on Low Frequency Electrical Precursors*, Rep. 92-15, Inst. of Geophys. and Planet. Phys., Univ. of Calif., Riverside.
- Fujinawa, Y. and Takahashi, K.: 1994, 'Anomalous VLF subsurface electric field changes preceding earthquakes', in M. Hayakawa and Y. Fujinawa (eds.), *Electromagnetic Phenomena Related to Earthquake Prediction*, Terra Scientific Publishing Company., pp. 131–147.
- Fujinawa, Y., Kumagai, T., and Takahashi, K.: 1992, 'A study of anomalous underground electric field variations associated with a volcanic eruption', *Geophys. Res. Lett.* **19**, 9–12.
- Gokhberg, M.B., Morgounov, V.A., Yoshino, T., and Tomizawa, I.: 1982, 'Experimental measurements of electromagnetic emissions possibly related to earthquakes in Japan', *J. Geophys. Res.* **87**, 7824–7828.
- Gufeld, I. L., Rozhnoi, A. A., Tyumensev, S. N., Sherstuk, S. V., and Yampolsky, V. S.: Radiowave disturbances in period to Rudber and Rachinsk earthquakes, *Phys. Solid Earth*, 28(3), 267–270, 1992.
- Hayakawa M., Shvets, A. V., and Maekawa, S.: Subionospheric LF monitoring of ionospheric perturbations prior to the Tokachi-oki earthquake and a possible mechanism to lithosphere-ionosphere coupling, *Advances in Polar Upper Atmosphere Research*, 19, 42–54, 2005.
- Hayakawa, M. and Fujinawa, F. (eds.): 1994, *Electromagnetic Phenomena Related to Earthquake Prediction*, *Terr. Sci. Pub. Comp*, Tokyo, pp 677.
- Hayakawa, M., 2010. The use of sub-ionospheric VLF/LF propagation for the study of lower ionospheric perturbations associated with earthquakes. In: Proc. 1st International Conference on Science with Very Low Frequency Radio Waves: Theory and Observations, AIP Conf. Proc. vol. 1286, pp. 223–269. <http://dx.doi.org/10.1063/1.3512884>.
- Hayakawa, O.A. Molchanov, T. Ondoh, E. Kawai The precursory signature effect of the Kobe earthquake on VLF subionospheric signals *J. Comm. Res. Lab. Tokyo*, 43 (1996), pp. 169–180
- Hayakawa, Y. Kasahara, T. Nakamura, F. Muto, T. Horie, S. Maekawa, Y. Hobara, A.A. Rozhnoi, M. Solovieva, O.A. Molchanov A statistical study on the correlation between lower ionospheric perturbations as seen by sub-ionospheric VLF/LF propagation and earthquakes *J. Geophys. Res.*, 115 (2010), p. A09305 <http://dx.doi.org/10.1029/2009JA015143>
- Hayakawa. On the fluctuation spectra of seismo-electromagnetic phenomena. *Nat. Hazards Earth Syst. Sci.*, 11, 301–308 (2011).
- He, Y., D. Yang, J. Qian and M. Parrot Response of the ionospheric electron density to different types of seismic events. *Nat. Hazards Earth Syst. Sci.*, 11, 2173–2180 (2011).
- Henderson, T.R., Sonwalker, V.S., Helliwell, R.A., Inan, U.S., and Fraser-Smith, A.C.: 1993, 'A search for ELF/VLF emissions induced by earthquakes as observed in the ionosphere by the DE-2 satellite', *J. Geophys. Res.* **98**, 9503–9509.

- Johnston, M.J.S. and Mueller, R.J.: 1987, 'Seismomagnetic observation with the July 8, 1986, ML 5.9 North Palm Springs earthquake', *Science* **237**, 1201–1203.
- Johnston, M.J.S. and Parrot, M. (eds.): 1989, 'Seismoelectromagnetic effects', *Phys. Earth Planet. Inter.* **57**, 1–177.
- Johnston, M.J.S., Linde,A.T., Gladwin, M.T., and Borcherdt, R.D.: 1987, 'Fault failure with moderate earthquakes', *Tectonophysics* **144**, 189–206.
- Johnston, M.J.S., Mueller, R.J., and Sasai, Y.: 1994, 'Magnetic field observations in the near-field of the 28 June 1992 M7.3 Landers, California, earthquake', *Bull. Seis. Soc. Am.* **84**, 792–798.
- Johnston, M.J.S., Mueller, R.J., Ware, R.H., and Davis, P. M.: 1984, 'Precision of geomagnetic measurements in a tectonically active region', *J. Geomag. Geoelec.* **36**, 83–95.
- Johnston, M.J.S.: 1978, 'Local magnetic field variations and stress change near a slip discontinuity on the San Andreas fault', *J. Geomag. Geoelec.* **30**, 511–522.
- Johnston, M.J.S.: 1989, 'Review of magnetic and electric field effects near active faults and volcanoes in the U.S.A.', *Phys. Earth Planet. Int.* **57**, 47–63.
- Le, H., J.Y. Liu and L. Liu A statistical analysis of ionospheric anomalies before 736 M6.0+ earthquakes during 2002–2010, *J. Geophys. Res.*, 116, A02303 (2011).
- Lisowski, M., Prescott,W.H., Savage. J.C., and Johnston, M.J.S.: 1990, 'Geodetic estimate of coseismic slip during the 1989 Loma Prieta,California, earthquake', *Geophys. Res. Lett.* **17**, 1437–1440.
- Molchanov, O. A. and Hayakawa, M.: Subionospheric VLF signal perturbations possibly related to earthquakes, *J. Geophys. Res.*, 103, 17489–17504, 1998.
- Molchanov, O.A. Mazhaeva, O., Goliavin, A.N., and Hayakawa, M.: 1993, "Observation by the InterCosmos-24 Satellite of ELF-VLF electromagnetic emissions associated with earthquakes", *Annales Geophysicale* **11**, 431–440.
- Moldovan, A.P. Constantin, P.F. Biagi, D. Toma Danila, A.S. Moldovan, P. Dolea, V.E. Toader, T. Maggipinto. The Development of the Romanian VLF/LF Monitoring System as Part of the International Network for Frontier Research on Earthquake Precursors (INFREP), *Rom. Journ. Phys.*, **60**, 7–8, 1203–1217 (2015)
- Nagao, T., Uyeda, S., Asai, Y., and Kono, Y.: 1996, 'Recently observed anomalous changes in geoelectric potential preceding earthquakes in Japan', (submitted to *Phys. Earth. Planet. Int.*).
- Nagata, T.:1969, 'Basicmagnetic properties of rocks under the effect of mechanical stresses', *Tectonophysics* **21**, 427–445.
- Nenovski, M. Pezzopane, L. Ciraolo, M. Vellante, U. Villante and M. De Lauretis. Local changes in the total electron content immediately before the 2009 Abruzzo earthquake. *Adv. In Space Res.* **55**, 243–258 (2015).
- Ohnaka, M. and Kinoshita, H.: 1968, 'Effects of uniaxial compression on remanent magnetization', *J. Geomag. Geoelec.* **20**, 93–99.
- Oike, K. and Ogawa, T.: 1986, 'Electromagnetic radiation from shallow earthquakes observed in the LF range', *J. Geomag. Geoelec.* **38**, 1031–1041.
- Parrot, M. and Johnston, M.J.S. (Eds.): 1993, 'Seismo-electromagnetic effects', *Phys. Earth Planet. Inter.* **77**: 1-137, 1993.
- Parrot, M., Achache, J., Berthelier, J.J., Blanc, E., Deschamps, A., Lefevre, F., Menvielle, M., Plantet, J.L., Tarits, P., and Villain, J.P.: 1993, 'High-frequency seismo-electromagnetic effects', *Phys. Earth Planet. Int.* **77**, 65–83.
- Parrot, M.: 1994, 'Statistical study of ELF/VLF emissions recorded by a low-altitude satellite during seismic events', *J. Geophys. Res.* **99**, 23,339–23, 34?
- Pulinets and K.A. Boyarchuk. Ionospheric precursors of earthquakes, Springer, Berlin (2004).
- Rozhnoi, M. Solovieva, O. Molchanov, K. Schwingenschuh, M. Boudjada, P.F. Biagi, T. Maggipinto, L. Castellana, A. Ermini, M. Hayakawa Anomalies in VLF radio signals prior the Abruzzo earthquake ( $M = 6.3$ ) on 6 April 2009 Nat. Hazards Earth Syst. Sci., 9 (2009), pp. 1727–1732  
<http://dx.doi.org/10.5194/nhess-9-1727-2009>

- Rozhnoi, M.S. Solovieva, P.F. Biagi, K. Schwingenschuh and M. Maekawa. Low frequency signal spectrum analysis for strong earthquakes. *Annals of geophysics*, 55 (2012).
- Valkaniotisa, A. Ganab, G. Papathanassiouc, M. PapanikolaoubField observations of geological effects triggered by the January–February 2014 Cephalonia (Ionian Sea, Greece) earthquakes *Tectonophysics*, 630 (2014), pp. 150–157 <http://dx.doi.org/10.1016/j.tecto.2014.05.012>
- Varotsos, P. and Alexopoulos, K.: 1987, ‘Physical properties of the variations in the electric field of the electric field of the Earth preceding earthquakes, III’, *Tectonophysics* **136**, 335–339.
- Varotsos, P. and Lazaridou, M.: 1991, ‘Latest aspects on earthquake prediction in Greece based on seismic electric signals’, *Tectonophysics* 188: 321–347.
- Varotsos, P., Alexopoulos, K., and Azaridou, M.: 1993a, ‘Latest aspects of earthquake prediction in Greece based on seismic electric signals, II’, *Tectonophys.* **224**, 1–38.
- Varotsos, P., Alexopoulos,K., Lazaridou-Varotsou, M., and Nagao, T.: 1993b, ‘Earthquake predictions issued in Greece by seismic electric signals since February 6, 1990’, *Tectonophys.* **224**, 269–288.
- Varotsos, P., Eftaxias, K., Lazaridou, M., Nomicos, K., Bogris, N., Makris, G. Antonopoulos, G., and Kopanas, J.: 1996, ‘Recent earthquake predictions results in Greece based on the observation of seismic electric signals’, *Acta. Geophysica Polonica* (in press).
- Warwick, J.W., Stoker, C., and Meyer, T.R.: 1982, ‘Radio emission associated with rock fracture: possible application to the great Chilean earthquake of May 22, 1960’, *J. Geophys. Res.* **87**, 2851–2859.
- Yoshino, T. and Sato, H.: 1993, ‘The study of exciting process of seismogenic emission at epicenter by magnetic flux based on statistical analysis’, *JISHIN* **16**, 8–24.
- Yoshino, T., Tomizawa, I., and Shibata, T.: 1985, ‘Possibility of using a direction finding technique to locate earthquake epicenters from electromagnetic precursor radiation’, *Ann. Geophys.* **3**, 727–730.
- Yoshino, T.: 1991, ‘Low-frequency seismogenic electromagnetic emissions as precursors to earthquakes and volcanic eruptions in Japan’, *J. Sci. Explor.* **5**, 121–144.
- Yu, V., Yasyukevich, S.V. Voeykov, I.V. Zhivetiev and E.A. Kosogorov. Ionospheric Response to Solar Flares of C and M Classes in January–February 2010. *Cosmic Research*, 51, 114–123 (2013).